UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,350	02/06/2006	Kazuhiro Nozawa	SON-3334	5218
	7590	EXAMINER		
LION BUILDING			JEANGLAUDE, JEAN BRUNER	
1233 20TH STREET N.W., SUITE 501 WASHINGTON, DC 20036		I	ART UNIT	PAPER NUMBER
			2819	
			MAIL DATE	DELIVERY MODE
			06/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Commence	10/567,350	NOZAWA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jean B. Jeanglaude	2819				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	Lely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>06 Fe</u>	bruarv 2008.					
	. · ·					
· <u> </u>	<i>/</i>					
closed in accordance with the practice under E	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-3</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>1-3</u> is/are allowed.	m nem cendideration.					
6) Claim(s) is/are rejected.	· · · · · · · · · · · · · · · · · · ·					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement					
	oloodon roquiromone.					
Application Papers						
9)⊠ The specification is objected to by the Examiner						
10)⊠ The drawing(s) filed on <u>06 February 2008</u> is/are∶ a)□ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction	on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:						
	1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents						
3. Copies of the certified copies of the prior	•	d in this National Stage				
application from the International Bureau						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5)					
Paper No(s)/Mail Date <u>2-06-08;4/14/08;4/24/08</u> .	6) Other:	• •				

Application/Control Number: 10/567,350 Page 2

Art Unit: 2819

DETAILED ACTION

Specification

The specification is objected to more specifically the background of the invention. It

appears that as described in the background that figures 6, 7, 8A, 8B, C are prior arts. If

this is the case, they should label as "Prior Art". What are the drawings for the

improvement of the invention?

Drawings

1. Figure s 6, 7, 8A-C should be designated by a legend such as --Prior Art--

because only that which is old is illustrated. See MPEP § 608.02(g). Corrected

drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action

to avoid abandonment of the application. The replacement sheet(s) should be labeled

"Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct

any portion of the drawing figures. If the changes are not accepted by the examiner, the

applicant will be notified and informed of any required corrective action in the next Office

action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

2. Claims 1-3 would be allowable when complying with the above objection.

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

4. Reuveni et al. (US Patent Number 6,667,703) discloses a matching calibration for DACs.

- 5. Pansik et al. (US Patent Number 6,518,902) discloses a PC card and WLAN system having high speed, high speed resolution, DAC with off-line sigma delta conversion and storage.
- 6. Aldridge et al. (US Patent Number 5,887,244) discloses a multiple clock generation in a baseband simulator for testing a mobile communications transceiver.
- 7. Boie (US Patent Number 5,812,077) discloses a circuit for ADC of a video RF or IF signal.
- 8. Myers (US Patent Number 4,947,168) discloses a subranging ADC calibration.
- 9. Weigand et al. (US Patent Number 4,430,642) discloses a DAC.
- 10. This application is in condition for allowance except for the formal matters: mentioned above.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Jeanglaude whose telephone number is 571-272-1804. The examiner can normally be reached on Monday - Friday 7:30 A. M. - 5:00 P.M..

Application/Control Number: 10/567,350 Page 4

Art Unit: 2819

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Rexford Barnie can be reached on 571-272-7492. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jean B Jeanglaude/

Primary Examiner, Art Unit 2819